



Rubber Corrugated Air Intake Hose For Car Engine

KINGTOM is a major manufacturer and supplier of rubber products in China.Rubber Corrugated Air Intake Hose direct replacement for a proper fit every time, Hose slides on easily for trouble-free installation, Rigorous quality control measures have been undertaken to ensure that this part conforms to product standards, Designed to accommodate all necessary PCV and emission fittings.

KINGTOM is a major manufacturer and supplier of rubber products in China. Rubber Corrugated Air Intake Hose direct replacement for a proper fit every time, Hose slides on easily for trouble-free installation, Rigorous quality control measures have been undertaken to ensure that this part conforms to product standards, Designed to accommodate all necessary PCV and emission fittings.

Product Parameter of the Rubber Corrugated Air Intake Hose For Car Engine:

①Product name: Rubber Corrugated Air Intake Hose For Car Engine

②Material: EPDM NBR Silicon or Can Custom

③Logo: Can Custom

4Size: Can Custom

⑤Can Custom: Black or custom

⑥Application: Automotive

@ Certifications: IATF16949, ISO14001:2015, ROHS, CMC, etc

®Delivery: 30 -50days after sample confirmation

Sample: 25-30 days

①Package: PE bags, Cartons, Pallet

12) Payment Terms: T/T,L/C and so on.

③Shipment Way: Vessel,Air,Express etc.

Tel: <u>+86-592-5674359</u> Phone: <u>+86-13959226689</u> E-Mail: joe@kingtom.com.cn



Product Feature AND Application of the Rubber Corrugated Air Intake Hose For Car Engine:

Flexible rubber air intake filter pipe performance is improved with the addition of oxygen or air. If there is an insufficient amount of air, then the engine can not operate at peak performance and will need more fuel for operation. An air intake hose creates an airtight intake system. Any defects in the hose may affect the engine performance and lead to poor fuel economy.

Precision: Dimensional accuracy of an air intake hose is important. So its manufacturing process must be controlled to meet the requirements of original design.

The choice of material depends on the following factors:

- ①Operating temperature of the equipment or vehicle where the hose is being used
- ②Working environment of the equipment or vehicle
- 3Amount of flexibility and vacuum resistance required
- ④Resistance to ozone, ultraviolet rays, or chemicals
- ⑤Vibration and mounting requirements.





Tel: <u>+86-592-5674359</u> Phone: <u>+86-13959226689</u> E-Mail: joe@kingtom.com.cn





Tel: <u>+86-592-5674359</u> Phone: <u>+86-13959226689</u> E-Mail: joe@kingtom.com.cn